

References Cited

1. FlyBase: A Database of the *Drosophila* Genome. 2005. Available online at: <http://www.flybase.org/>.
2. Hymenoptera - Assembling the Tree of Life. 2005. Available online at: <http://www.hymatol.org/>.
3. MorphBank. 2005. Available online at: <http://morphbank.csit.fsu.edu/>.
4. MorphoBank. 2005. Available online at: <http://www.morphobank.org/>.
5. TreeBASE. 2005. Available online at: <http://www.treebase.org/treebase>.
6. Wikipedia. 2005. Available online at: <http://www.wikipedia.org>.
7. Abraham, D., Ryrholm, N., Wittzell, H., Holloway, J. D., Scoble, M. J., & Löfstedt, C. 2001. Molecular phylogeny of the subfamilies in Geometridae (Geometroidea: Lepidoptera). *Molecular Phylogenetics and Evolution* 20, 65-77.
8. Adachi, J. and Hasegawa, M. 1994. Programs for Molecular Phylogenetics, Version 2.3. Institute of Statistical Mathematics, Tokyo, Japan.
9. Aiken, S. G., Dallwitz, M. J., McJannet, C. L., & Consaul, L. L. 1997. Biodiversity among *Festuca* (Poaceae) in North America: diagnostic evidence from DELTA and clustering programs, and an INTKEY package for interactive, illustrated identification and information retrieval. *Canadian Journal of Botany* 75, 1527-1555.
10. Animal Diversity Web staff 2004. Animal Diversity Web ontology. Available online at: <http://animaldiversity.ummz.umich.edu/site/about/technology/index.html>.
11. Aris-Brosou, S. 2003. How Bayes tests of molecular phylogenies compare with frequentist approaches. *Bioinformatics* 19, 618-624.
12. Aris-Brosou S. 2003. Least and most powerful phylogenetic tests to elucidate the origin of the seed plants in presence of conflicting signals under misspecified models. *Syst. Biol.* 52, 781-793.
13. Aris-Brosou, S. 2005. Determinants of adaptive evolution at the molecular level: The extended complexity hypothesis. *Mol. Biol. Evol.* 22, 200-209.
14. Ashburner, M. 2005. *Drosophila* Gross Anatomy ontology. Available online at: <http://obo.sourceforge.net/cgi-bin/detail.cgi?drosanat>. Accessed on 21 Mar 2005.
15. Ayala, F. J. 1997. Vagaries of the molecular clock. *Proc. Natl. Acad. Sci. USA* 94, 7776-7783.
16. Baker, R. H., Yu, X., & DeSalle, R. 1998. Assessing the relative contribution of molecular and morphological characters in simultaneous analysis trees. *Mol. Phyl. Evol.* 9, 427-436.
17. Barker, D. 2004. LVB: Parsimony and simulated annealing in the search for phylogenetic trees. *Bioinformatics* 20, 274, 275.
18. Beccaloni, G. W., Scoble, M. J., Robinson, G. S., and Pitkin, B. 2003. The Global Lepidoptera Names Index (LepIndex) World Wide Web electronic publication. Available online at: <http://www.nhm.ac.uk/entomology/lepindex>. Accessed on 21 Mar 2005.
19. Bendib, A. & Minet, J. 1998. Female pheromone glands in Arctiidae (Lepidoptera). Evolution and phylogenetic significance. *C. R. Acad. Sci., Paris, Life Sciences* 321, 1007-1014.
20. Benson, D. A., Karsch-Mizrachi, I., Lipman, D. J., Ostell, J., & Wheeler, D. L.

- 2005/1/1. GenBank. Nucl. Acids Res. 33[suppl_1], D34-38. http://nar.oupjournals.org/cgi/content/abstract/33/suppl_1/D34.
Rec #:
21. Blum, M. J., Bermingham, E., & Dasmahapatra, K. 2003. A molecular phylogeny of the neotropical butterfly genus *Anartia* (Lepidoptera: Nymphalidae). *Mol Phylog. Evol.* 26, 46-55.
 22. Brauer, M. J., Holder, M. T., Dries, L. A., Zwickl, D. J., Lewis, P. O., & Hillis, D. M. 2002. Genetic algorithms and parallel processing in maximum-likelihood phylogeny inference. *Mol. Biol. Evol.* 19, 1717-1726.
 23. Brenner, R. L., Ludgivson, G. A., Witzke, B. J., Zawistoski, A. N., Kvale, E. P., Ravn, R. L., & Joeckel, R. M. 2000. Late Albian Kiowa-Skull Creek marine transgression, Lower Dakota Formation, eastern margin of Western Interior Seaway, USA. *Journal of Sedimentary Research* 70, 868-878.
 24. Brower, A. V. Z. 1994. Phylogeny of *Heliconius* butterflies inferred from mitochondrial DNA sequences. *Molecular Phylogenetics and Evolution* 3, 159-174.
 25. Brower, A. V. Z. 2000. Phylogenetic relationships among the Nymphalidae (Lepidoptera), inferred from partial sequences of the wingless gene. *Proc. R. Soc. Lond. B* 267, 1201-1211.
 26. Brower, A. V. Z. & DeSalle R. 1994. Practical and theoretical considerations for choice of a DNA sequence region in insect molecular systematics, with a short review of published studies using nuclear gene regions. *Annals of the Entomological Society of America* 87, 702-716.
 27. Brower, A. V. Z. & DeSalle, R. 1998. Patterns of mitochondrial versus nuclear DNA sequence divergence among nymphalid butterflies: the utility of *wingless* as a source of characters for phylogenetic inference. *Insect Molecular Biology* 7, 73-82.
 28. Brower, A. V. Z. & Egan, M. G. 1997. Cladistics of *Heliconius* butterflies and relatives (Nymphalidae: Heliconiiti): the phylogenetic position of *Eueides* based on sequences from mtDNA and a nuclear gene. *Proceedings of the Royal Society of London, Series B, Biological Sciences* 264, 969-977.
 29. Brown, J. M., Pellmyr, O., Thompson, J. N., & Harrison, R. G. 1994. Mitochondrial DNA phylogeny of the Prodoxidae (Lepidoptera: Incurvarioidea) indicates rapid ecological diversification of yucca moths. *Annals of the Entomological Society of America* 87, 795-801.
 30. Brown, J. M., Pellmyr, O., Thompson, J. N., & Harrison, R. G. 1994. Phylogeny of *Greya* (Lepidoptera: Prodoxidae), based on nucleotide sequence variation in mitochondrial *cytochrome oxidase I and II*: congruence with morphological data. *Molecular Biology and Evolution* 1, 128-141.
 31. Campbell, D. L., Brower, A. V. Z., & Pierce, N. E. 2000. Molecular evolution of the *wingless* gene and its implications for the phylogenetic placement of the butterfly family Riodinidae (Lepidoptera: Papilionoidea). *Mol. Biol. Evol.* 17, 684-696.
 32. Caterino M.S., Cho, S., & Sperling, F. A. H. 2000. The current state of insect molecular systematics: a thriving tower of babel. *Annual Review of Entomology* 45, 1-54.

33. Caterino, M. S., Reed, R. D., Kuo, M. M., & Sperling, F. A. H. 2001. A partitioned likelihood analysis of swallowtail butterfly phylogeny (Lepidoptera: Papilionidae). *Syst. Biol.* 50, 106-127.
34. Cho, S., Mitchell, A., Regier, J. C., Mitter, C., Poole, R. W., Friedlander, T. P., & Zhao, S. 1995. A highly conserved nuclear gene for low-level phylogenetics: *elongation factor-1a* recovers morphology-based tree for heliothine moths. *Molecular Biology and Evolution* 12, 650-656.
35. CIPRes project Available online at: <http://www.phylo.org>.
36. Conner, W. E. & Weller, S. J. 2004. Chapter 7. A quest for alkaloids: the curious relationship of tiger moths and plants containing pyrrolizidine alkaloids. In *Advances in Insect Chemical Ecology*, eds. R. T. Cardé & J. G. Millar, pp. 248-282. Cambridge University Press.
37. Connor, E. F. & Taverner, M. P. 1997. The evolution and adaptive significance of the leaf-mining habit. *Oikos* 79, 6-25.
38. Cook, C. P., Regier, J. C., & Mitter, C. 2005. Placement of Bombycoidea within Macrolepidoptera. (Data set completed, analysis in progress.)
39. Cummings, M. P., Handley, S. A., Myers, D. S., Reed, D. L., Rokas, A., & Winka, K. 2003. Comparing bootstrap and posterior probability values in the four-taxon case. *Syst. Biol.* 52, 477-487.
40. Cunningham, C. W. 1997. Is congruence between data partitions a reliable predictor of phylogenetic accuracy? Empirically testing an iterative procedure for choosing among phylogenetic methods. *Systematic Biology* 46, 464-478.
41. Cunningham, C. W., Zhu, H., & Hillis, D. M. 1998. Best-fit maximum-likelihood models for phylogenetic inference: Empirical tests with known phylogenies. *Evolution* 52, 978-987.
42. da Silva, F. C., Agusti, J., de Melo, A. C. V., Vasconcelos, W. W., & Robertson, D. S. 1999. Why ontologies are not enough for knowledge sharing. *Proceedings, International Conference on Industrial and Engineering Applications of Artificial Intelligence and Expert Systems*. 1611, 520-529., Springer LNAI .
43. DaCosta, M., Larson, P., Donahue, J., & Weller, S. Generic limits and evolutionary relationships of the milkweed tussock moths *Euchaetes* (Arctiidae: Arctiinae: Phaegopterini). *Systematic Entomology* submitted.
44. DaCosta, M. & Weller, S. 2005. Preliminary phylogeny of the Callimorphini (Arctiidae: Arctiinae). *ZooTaxa* in press
45. DaCosta, M. A., Larson, P., Donahue, J., and Weller, S. J. 2005. Phylogeny of Arctiidae. Available online at: www.entomology.umn.edu/museum/projects/Arctiidae/.
46. Davis, D. R. 1986. *A new family of monotrysiian moths from austral South America (Lepidoptera: Palaephatidae), with a phylogenetic review of the Monotrysiia*. *Smithsonian Contributions to Zoology No. 434*. Smithsonian Institution Press, Washington, DC.
47. Davis, D. R. 1998. The Monotrysiian Heteroneura. In *Handbook of Zoology, Part 35, (Lepidoptera, vol. 1)*, ed. N. P. Kristensen, pp. 65-90 112 figs. Walter de Gruyter, Inc., Hawthorne, NY.
48. De Queiroz, A. 2002. Contingent predictability in evolution: key traits and diversification. *Systematic Biology* 51, 917-929.

49. Driskell, A. C., Ane, C., Burleigh, J. G., McMahon, M. M., O'Meara, B. C., & Sanderson, M. J. 2004. Prospects for building the tree of life from large sequence databases. *Science* 306, 1172-1174.
50. Eastwood, R. & Hughes, J. M. 2003. Molecular phylogeny and evolutionary biology of *Acrodipsas* (Lepidoptera: Lycaenidae). *Mol. Phylog. Evol.* 27, 93-102.
51. Edwards, A. W. F. & Cavalli-Sforza, L. L. 1964. Reconstruction of evolutionary trees. In *Phenetic and Phylogenetic Classification*, eds. V.H. Heywood & J. McNeill, pp. 67-76. Systematics Association, London.
52. Eggers, F. 1919. Das thoracale bitympanale organ einer Gruppe der Lepidoptera Heterocera. *Zool. Jahr.* 41, 272-373.
53. Ehrlich, P. R. & Raven, P. H. 1964. Butterflies and plants: a study in coevolution. *Evolution* 18, 586-608.
54. Eiden, L. E. 2004. A two-way bioinformatic street. *Science* 306, 1437.
55. Fang, Q. Q., Cho, S., Regier, J. C., Mitter, C., Matthews, M., Poole, R. W., Friedlander, T. P., & Zhao, S. 1997. A new nuclear gene for insect phylogenetics: *dopa decarboxylase* is informative of relationships within Heliiothinae (Lepidoptera: Noctuidae). *Systematic Biology* 46, 269-283.
56. Fang, Q. Q., Mitchell, A., Regier, J. C., Mitter, C., Friedlander, T. P., & Poole, R. W. 2000. Phylogenetic utility of the nuclear gene *dopa decarboxylase* in noctuid moths (Insecta: Lepidoptera: Noctuoidea). *Molecular Phylogenetics and Evolution* 15, 473-486.
57. Farrell, B. D. 1998. "Inordinate fondness" explained: why are there so many beetles? *Science* 281, 555-559.
58. Farrell, B. D., Sequeira, A. S., O'Meara, B., Normark, B. B., Chung J.H., & Jordal, B. H. 2001. The evolution of agriculture in beetles (Curculionidae: Scolytinae and Platypodinae). *Evolution* 55, 2011-2027.
59. Farris, J. S., Källersjö, M., Kluge, A. G., & Bult, C. 1995. Testing significance of incongruence. *Cladistics* 10, 315-319.
60. Felsenstein, J. 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* 39, 783-791.
61. Felsenstein, J. 1991. PHYLIP (Phylogeny Inference Package). Distributed by the author, University of Washington, Seattle, WA.
62. Frati, F. C., Simon, C., Sullivan, J., & Swofford, D. L. 1997. Evolution of the mitochondrial cytochrome oxidase II gene in Collembola. *J. Mol. Evol.* 44, 145-158.
63. Friedlander, T. P., Horst, K. R., Regier, J. C., Mitter, C., Peigler, R. S., & Fang, Q. Q. 1998. Two nuclear genes yield concordant relationships within Attacini (Lepidoptera: Saturniidae). *Molecular Phylogenetics and Evolution* 9, 131-140.
64. Friedlander, T. P., Regier, J. C., Mitter, C., & Wagner, D. L. 1996. A nuclear gene for higher level phylogenetics: phosphoenolpyruvate carboxykinase tracks Mesozoic-age divergences within Lepidoptera (Insecta). *Molecular Biology and Evolution* 13, 594-604.
65. Friedlander, T. P., Regier, J. C., Mitter, C., Wagner, D. L., & Fang, Q. Q. 2000. Evolution of heteroneuran Lepidoptera (Insecta) and the utility of *dopa decarboxylase* for Cretaceous age phylogenetics. *Zoological Journal of the Linnean Society* 130, 213-234.

66. Fullard, J. H. & Napeoleone, N. 2001. Diel flight periodicity and the evolution of auditory defences in the Macrolepidoptera. *Animal Behaviour* 62.
67. Glazko, G. V., Koonin, E. V., & Rogozin, I. B. 2005. Molecular dating: Ape bones agree with chicken entrails. *Trends Genet.* 21, 89-92.
68. Goldsmith, M. R. & Wilkins, A. S. 1995. *Molecular Model Systems in the Lepidoptera* Cambridge University Press, New York, NY.
69. Goldstein, P. Z. 2004. Systematic collection data in North American invertebrate conservation and monitoring programmes. *Applied Ecology* 41, 175-180.
70. Grant, M. C., Regier, J. C., & Mitter, C. 2005. Higher-level relationships within Bombycoidea *sensu stricto*. (Data set almost completed.)
71. Guindon, S. & Gascujel, O. 2003. A simple, fast, and accurate algorithm to estimate large phylogenies by maximum likelihood. *Syst. Biol.* 52, 696-704.
72. Hasegawa, M., Kishino, H., & Yano, T. 1989. Estimation of branching dates among primates by molecular clocks of nuclear DNA which slowed down in Hominoidea. *J. Human Evol.* 18, 461-476.
73. Hendler, J. 2003. Science and the Semantic Web. *Science* 199, 520-521.
74. Heppner, J. B. 1998. *Classification of the Lepidoptera. Part 1: Introduction Holarctic Lepidoptera. Volume 5, Supplement 1.*
75. Hervé, P., Snell, E. A., Baptiste, E., Lopez, P., Holland, P. W. H., & Casane, D. 2004. Phylogenomics of eukaryotes: impact of missing data on large alignments. *Mol Biol Evol.* 21, 1740-1752.
76. Hillis, D. M. 1996. Inferring complex phylogenies. *Nature* 383, 130-131.
77. Huelsenbeck, J. P., Bull, J. J., & Cunningham, C. W. 1996. Combining data in phylogenetic analysis. *Trends Ecol. Evol.* 11, 152-158.
78. Huelsenbeck, J. P., Larget, B., & Swofford, D. 2000. A compound Poisson process for relaxing the molecular clock. *Genetics* 154, 1879-1892.
79. Huelsenbeck, J. P. & Rannala, B. 1997. Phylogenetic methods come of age: Testing hypotheses in an evolutionary context. *Science* 276, 227-232.
80. Jacobson, N. L. and Weller, S. J. 2002. *A cladistic study of the tiger moth family Arctiidae (Noctuoidea) based on larval and adult morphology. Thomas Say Monograph Series*, Entomological Society of America.
81. Jones, D. T., Taylor, W. R., & Thornton, J. M. 1992. The rapid generation of mutation data matrices from protein sequences. *Comput. Appl. Biosci.* 8, 275-282.
82. Kahan, J., Koivunen, M.-R., Prud'Hommeaux, E., & Swick, R. R. 2002. Annotea: an open RDF infrastructure for shared Web annotations. *Computer Networks* 39, 589-608.
83. Kaila, L. 2004. Phylogeny of the superfamily Gelechioidea (Lepidoptera: Ditrysia): an exemplar approach. *Cladistics* 20, 303-340.
84. Kambic, R. E. and Regier, J. C. 2003. BP link. A package of four software routines written in C that links the outputs of Seqboot (PHYLIP), MrBayes, and PAUP* to generate a table of average posterior probabilities of taxonomic groups across multiple bootstrapped, amino acid data sets. Available online at: www.umbi.umd.edu/~cbr/regier.html. Accessed on 27 Mar 1910.
85. Kandul, N. P., Lukhtanov, V. A., Dantchenko, A. V., Coleman, J. W.,

- Sekercioglu, C. H., Haig, D., & Pierce, N. E. 2004. Phylogeny of *Agrodiaetus* Hubner 1822 (Lepidoptera: Lycaenidae) inferred from mtDNA sequences of COI and COII and nuclear sequences of EF1-alpha: karyotype diversification and species radiation. *Syst. Biol.* 53, 278-98.
86. Kishino, H. & Hasegawa, M. 1989. Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order in Hominoidea. *J. Mol. Evol.* 29, 170-179.
 87. Kitching, I. J. 1987. Spectacles and Silver Ys: a synthesis of the systematics, cladistics and biology of the Plusiinae (Lepidoptera: Noctuidae). *Bulletin of the British Museum (Natural History), Entomology Series* 54, 75-261.
 88. Kitching, I. J. & Rawlins, J. E. 1998. The Noctuoidea. In *Lepidoptera, Moths and Butterflies, Volume 1: Evolution, Systematics, and Biogeography*, ed. N. P. Kristensen, pp. 355-401. Walter de Gruyter, Inc., Hawthorne, NY.
 89. Kjer, K. M., Blahnik, R. J., & Holzenthal, R. W. 2001. Phylogeny of Trichoptera (caddisflies): characterization of signal and noise within multiple datasets. *Syst. Biol.* 50, 781-816.
 90. Klots, A. B. 1970. Lepidoptera. In *Taxonomists glossary of genitalia of insects*, ed. Sue L. Tuxen, pp. 115-139. Munksgaard, Copenhagen.
 91. Knowledge Representation Working Group of Science Environment for Ecological Knowledge 2004. SEEK ontologies. Available online at: <http://cvs.ecoinformatics.org/cvs/cvsweb.cgi/seek>. Accessed on 21 Mar 2005.
 92. Kristensen, N. P. 1981. Phylogeny of insect orders. *Annual Review of Entomology* 26, 135-157.
 93. Kristensen, N. P. 1984. Studies on the morphology and systematics of primitive Lepidoptera (Insecta). *Steenstrupia* 10, 141-191.
 94. Kristensen, N. P. 1997. Early evolution of the Lepidoptera + Trichoptera lineage: phylogeny and the ecological scenario. In *The Origin of Biodiversity In Insects: Phylogenetic Tests of Evolutionary Scenarios*, ed. P. Grandcolas, pp. 253-271.
 95. Kristensen, N. P. 1998. Lepidoptera, Moths and Butterflies, Volume 1: Evolution, Systematics, and Biogeography. In *Handbook of Zoology: A Natural History of the Phyla of the Animal Kingdom, Volume IV Arthropoda: Insecta, Part 35*, ed. M. Fischer, Walter de Gruyter, Inc, Hawthorne, NY.
 96. Kristensen, N. P. & Skalski, A. W. 1998. Phylogeny and palaeontology. In *Lepidoptera, Moths and Butterflies, Volume 1: Evolution, Systematics, and Biogeography*, ed. N. P. Kristensen, pp. 7-25. Walter de Gruyter, Inc, Hawthorne, NY.
 97. Kruse, J. J. & Sperling, F. A. H. 2002. Phylogeny of nearctic species of the xylostean group of *Archips* Hübner (Lepidoptera, Tortricidae), based on combined analysis of morphological and mitochondrial DNA data sets. *Ann. Ent. Soc. Amer.* 95, 288-301.
 98. Labandeira, C., Dilcher, D. L., Davis, D. R., & Wagner, D. L. 1994. Ninety-seven million years of angiosperm-insect association: palaeobiological insights into the meaning of coevolution. *Proceedings of the National Academy of Sciences of the United States of America* 91, 12278-12282.
 99. Labandeira, C. C. & Sepkoski, Jr. J. J. 1993. Insect diversity in the fossil record. *Science* 261.

100. Landry, B., Powell, J. A., & Sperling, F. A. H. 1999. Systematics of the *Argyrotaenia franciscana* (Lepidoptera: Tortricidae) species group: evidence from mitochondrial DNA. *Annals of the Entomological Society of America* 92, 40-46.
101. Lewis, P. O. 1998. A genetic algorithm for maximum likelihood phylogeny inference using nucleotide sequence data. *Molecular Biology and Evolution* 15.
102. Maddison, D. R. 1995-2004. Tree of Life. Available online at: <http://www.tolweb.org>.
103. Maddison, W. P. and Maddison, D. R. 2000. *MacClade: Analysis of Phylogeny and Character Evolution, Version 4*. Sinauer Associates, Inc., Sunderland, MA.
104. Martin, J. A. & Pashley, D. P. 1992. Molecular systematic analysis of butterfly family and some subfamily relationships (Lepidoptera: Papilionoidea). *Annals of the Entomological Society of America* 85, 127-189.
105. Megens, H. J., van Moorsel, C. H., Piel, W. H., Pierce, N. E., & de Jong, R. 2004. Tempo of speciation in a butterfly genus from the Southeast Asian tropics, inferred from mitochondrial and nuclear DNA sequence data. *Mol. Phylog. Evol.* 31, 1181-96.
106. Miller, J. S. 1991. Cladistics and classification of the Notodontidae (Lepidoptera: Noctuoidea) based on larval and adult morphology. *Bulletin of the American Museum of Natural History* 204, 1-230.
107. Miller, J. S., Brower, A. V. Z., & DeSalle, R. 1997. Phylogeny of the neotropical moth tribe Josiini (Notodontidae: Dioprinae): comparing and combining evidence from DNA sequences and morphology. *Biological Journal of the Linnean Society* 60, 297-316.
108. Minet, J. 1991. Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). *Entomologica Scandinavica* 22, 69-95.
109. Minet, J. 1994. The Bombycoidea: phylogeny and higher classification (Lepidoptera: Glossata). *Entomologica Scandinavica* 25, 63-88.
110. Mitchell, A., Cho, S., Mitter, C., Regier, J. C., Friedlander, T. P., & Poole, R. W. 1997. Phylogenetic utility of *elongation factor-1a* in the Noctuoidea (Insecta: Lepidoptera): the limits of synonymous substitutions. *Molecular Biology and Evolution* 14, 381-390.
111. Mitchell, A., Mitter, C., & Regier, J. C. 2000. More taxa or more characters revisited: combining data from nuclear protein-encoding genes for phylogenetic analyses of Noctuoidea (Insecta: Lepidoptera). *Systematic Biology* 49, 202-224.
112. Mitchell, A., Mitter, C., & Regier, J. C. 2005. Systematics and evolution of the cutworm moths (Lepidoptera: Noctuidae Noctuoidea): evidence from two protein-coding nuclear genes. *Syst. Entomol.* (in press).
113. Mitter, C. & Silverfine, E. 1988. On the systematic position of *Catocala* Schrank. *Systematic Entomology* 13, 67-84.
114. Monteiro, A. & Pierce, N. E. 2001. Phylogeny of *Bicyclus* (Lepidoptera: Nymphalidae) inferred from *COI*, *COII*, and *EF-1a* gene sequences. *Molecular Phylogenetics and Evolution* 18, 264-281.
115. Morinaka, S., Miyata, T., & Tanaka, K. 2002. Molecular phylogeny of the Eichhorni group of *Delias* Hübner, 1819 (Lepidoptera: Pieridae). *Mol. Phylog. Evol.* 23, 276-87.

116. Moulton, J. K. & Wiegmann, B. M. 2003. Evolution and phylogenetic utility of cad (rudimentary) among Mesozoic-aged eremoneuran Diptera (Insecta). *Molec. Phylog. Evol.* 31, 363-378.
117. Murphy, W. J., Eizrik, E., Johnson, W. E., Zhang, Y. P., Ryder, O. A., & O'Brien, S. J. 2001. Molecular phylogenetics and the origins of placental mammals. *Nature* 409, 614-618.
118. Myers, P. 2005. Animal Diversity Web. Available online at: <http://www.animaldiversity.org>.
119. Newcomb, R. D. & Gleeson, D. M. 1998. Pheromone evolution within the genera *Ctenopseustis* and *Planotortrix* (Lepidoptera: Tortricidae) inferred from a phylogeny based on *cytochrome oxidase I* gene variation. *Biochemical Systematics and Ecology* 26, 473-485.
120. Nielsen, E. S. & Kristensen, N. P. 1996. The Australian moth family Lophocoronidae and the basal phylogeny of the Lepidoptera (Glossata). *Invertebrate Taxonomy* 10, 1199-1302.
121. Nijhout, H. 1991. *The Development and Evolution of Butterfly Wing Patterns* Smithsonian Institution Press, Washington, DC.
122. Nixon, K. 1999. The parsimony ratchet, a new method for rapid parsimony analysis. *Cladistics* 15, 407-414.
123. Omoto, K., Katoh, T., Chichvarkhin, A., & Yagi, T. 2004. Molecular systematics and evolution of the "Apollo" butterflies of the genus *Parnassius* (Lepidoptera: Papilionidae) based on mitochondrial DNA sequence data. *Gene* 326, 141-7.
124. Panzer, R., Stillwaugh, D., Gnaedinger, R., & Derkovitz, G. 1995. Prevalence of remnant dependence among the prairie- and savanna-inhabiting insects of the Chicago region. *Nat. Areas J.* 15, 101-116.
125. Parr, C. S. & Cummings, M. C. 2005. Data-sharing in ecology and evolution: Why not? *Trends Ecol. Evol.* (submitted).
126. Parr, C. S., Lee, B., Campbell, D., & Bederson, B. 2004. Tree visualizations for taxonomies and phylogenies. *Bioinformatics* 20, 2997-3004.
127. Parr, C. S., R Espinosa, R., Dewey, T., Hammond, G., & Myers, P. 2005. Building a biodiversity content management system for science, education and outreach. *Data Science Journal* (accepted).
128. Pashley, D. P. & Ke, L. D. 1992. Sequence evolution in mitochondrial ribosomal and *ND-1* genes in Lepidoptera: implications for phylogenetic analyses. *Molecular Biology and Evolution* 9, 1061-1075.
129. Pogue, M. G. 2002. A world revision of the genus *Spodoptera* (Lepidoptera: Noctuidae). *Mem. Am. Ent. Soc.* No. 43.
130. Pol, D. 2004. Empirical problems of the hierarchical likelihood ratio test for model selection. *Systematic Biology* 53, 949-962.
131. Polistes Foundation 2005. 20q Identification Software. Available online at: <http://www.discoverlife.org/nh/id/>. Accessed on 21 Mar 2005.
132. Pollock, D. D., Watt, W. B., Rashbrook, V. K., & Iyengar, E. V. 1998. Molecular phylogeny for *Colias* butterflies and their relatives (Lepidoptera: Pieridae). *Annals of the Entomological Society of America* 91, 524-531.
133. Posada, D. & Buckley, T. R. 2004. Model selection and model averaging in phylogenetics: advantages of Akaike Information Criterion and Bayesian

- approaches over likelihood ratio tests. *Systematic Biology* 53, 793-809.
134. Posada, D. & Crandall, K. A. 2001. Selecting the best-fit model. *Syst. Biol.* 50, 580-601.
 135. Powell, J. A., Mitter, C., & Farrell, B. D. 1999. Evolution of larval feeding habits in Lepidoptera. In *Lepidoptera, Moths and Butterflies, Volume 1: Evolution, Systematics, and Biogeography*, ed. N. P. Kristensen, p. Chapter 20: pp. 403-422. Walter de Gruyter, Inc, Hawthorne, NY.
 136. Reed, R. D. & Sperling, F. A. H. 1999. Interaction of process partitions in phylogenetic analysis: an example from the swallowtail butterfly genus *Papilio*. *Molecular Biology and Evolution* 16, 286-297.
 137. Regier, J. C. 2005. Protocols, concepts, and reagents for preparing DNA sequencing templates in the Regier lab . Available online at: http://www.umbi.umd.edu/jcrlab/PCR_primers.pdf.
 138. Regier, J. C., Cunningham, C. W., Shultz, J. W., & Martin, J. W. 2005. PCR primers for 60 protein-coding nuclear genes that amplify across Panarthropoda, and preliminary assessment of their phylogenetic utility for resolving higher-level arthropod relationships. (Dataset complete, analysis in progress.).
 139. Regier, J. C., Fang, Q. Q., Friedlander, T. P., Mitter, C., Peigler, R. S., & Solis, M. A. 1998. Evolution and phylogenetic utility of the *period* locus in Lepidoptera. *Molecular Biology and Evolution* 15, 1172-1182.
 140. Regier, J. C., Mitter, C., Friedlander, T. P., & Peigler, R. S. 2001. Phylogenetic relationships and evolution of hostplant use in Sphingidae (Lepidoptera). *Molecular Phylogenetics and Evolution* 20, 311-325.
 141. Regier, J. C., Mitter, C., Peigler, R. S., & Friedlander, T. P. 2000. Phylogenetic relationships in Lasiocampidae (Lepidoptera): initial evidence from *elongation factor-1a* sequences. *Insect Systematics and Evolution* 31, 179-186.
 142. Regier, J. C., Mitter, C., Peigler, R. S., & Friedlander, T. P. 2002. Monophyly, composition, and relationships within Saturniinae (Lepidoptera: Saturniidae): Evidence from two nuclear genes. *Insect Syst. Evol.* 33, 9-21.
 143. Regier, J. C., Paukstadt, U., Paukstadt, L. H., Mitter, C., & Peigler, R. S. 2005. Phylogenetics of eggshell morphogenesis in *Antheraea* (Lepidoptera: Saturniidae): Unique origin and repeated reduction of the aeropyle crown. *Syst. Biol.* (in press).
 144. Regier, J. C. & Shi, D. 2005. Increased yield of PCR product from degenerate primers with nondegenerate, nonhomologous 5' tails. *BioTechniques* 38, 34-38.
 145. Regier, J. C. & Shultz, J. W. 2001. Elongation factor-2, a useful gene for arthropod phylogenetics. *Molec. Phylog. Evol.* 20, 136-148.
 146. Regier, J. C., Shultz, J. W., & Kambic, R. E. 2004. Phylogeny of basal hexapod lineages and estimates of divergence times. *Ann. Ent. Soc. Am.* 97, 411-419.
 147. Regier, J. C., Shultz, J. W., & Kambic, R. E. 2005. Pancrustacean phylogeny: hexapods are terrestrial crustaceans and maxillopods are not monophyletic. *Proc. R. Acad. Sci. L* 272, 395-401.
 148. Regier, J. C., Shultz, J. W., Kambic, R. E., & Nelson, D. R. 2004. Robust support for tardigrade clades and their ages from three protein-coding nuclear genes. *Invertebrate Biology* 123, 93-100.
 149. Regier, J. C., Wilson, H. M., & Shultz, J. W. 2005. Phylogenetic analysis of

- Myriapoda using three nuclear protein-coding genes. *Mol. Phylog. Evol.* 34, 147-158.
150. Richards, A. G. 1933. Comparative skeletal morphology of the noctuid tympanum. *Entomologica Americana* 13, 1-43.
 151. Richter, G. & Storch, G. 1980. Beiträge zur Ernährungsbiologie eozäner Fledermause aus der "Grube Messel.". *Natur und Museum* 110, 353-367.
 152. Ritkowski, S. 1997. K-Ar-Alterbestimmung der Bernsteinführenden Sedimente des Samlands (Paläogen, Bezirk Kaliningrad). *Metalla (Sonderheft)* 66, 19-23.
 153. Robinson D.M., Jones D.T., Kishino, H., Goldman, N., & Thorne, J. L. 2003. Protein evolution with dependence among codons due to tertiary structure. *Mol. Biol. Evol.* 20, 1692-1704.
 154. Robinson, G. S., Ackery, P. R., Kitching, I. J., Beccaloni, G. W., and Hernández, L. M. 2005. HOSTS: a database of the hostplants of the world's Lepidoptera. Available online at: <http://www.nhm.ac.uk/entomology/hostplants/>.
 155. Rokas, A., Williams, B. L., King, N., & Carroll, S. B. 2003. Genome-scale approaches to resolving incongruence in molecular phylogenies. *Nature* 425, 798-804.
 156. Ronquist, F. & Huelsenbeck, J. P. 2003. MrBayes 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics* 19, 1572-1574.
 157. Rosenberg, M. S. & Kumar, S. 2003. Taxon sampling, bioinformatics, and phylogenomics. *Syst. Biol.* 52, 119-124.
 158. Roshan, U., Moret, B. M. E., Williams, T. L., & Warnow, T. 2004. Rec-I-DCM3: A fast algorithmic technique for reconstructing large phylogenetic trees. *Proc. IEEE Computer Society Bioinformatics Conference CSB 2004*.
 159. Sanderson, M. J. 2002. Estimating absolute rates of molecular evolution and divergence times: A penalized likelihood approach. *Mol. Biol. Evol.* 19, 101-109.
 160. Sanderson, M. J., Thorne, J. L., Wikström, N., & Bremer, K. 2004. Molecular evidence on plant divergence times. *Amer. J. Botany* 91, 1656-1665.
 161. Scoble, M. J. 1992. *The Lepidoptera: Form, Function and Diversity* Oxford University Press, Oxford.
 162. Seo, T.-K., Kishino, H., & Thorne, J. L. 2004. Estimating absolute rates of synonymous and nonsynonymous nucleotide substitution in order to characterize natural selection and date species divergences. *Mol. Biol. Evol.* 21, 1201-1213.
 163. Seo, T.-K., Kishino, H., & Thorne, J. L. 2005. Incorporating gene-specific variation when inferring and evaluating optimal evolutionary tree topologies from multilocus sequence data. *Proc. Natl. Acad. Sci. USA* 102, 4436-4441.
 164. Shaul, S. & Graur, D. 2002. Playing chicken (*Gallus gallus*): Methodological inconsistencies of molecular divergence date estimates due to secondary calibration points. *Gene* 300, 59-61.
 165. Shimada, T., Kurimoto, Y., & Kobayashi, M. 1995. Phylogenetic relationship of silkmoths inferred from sequence data of the *arylphorin* gene. *Molecular Phylogenetics and Evolution* 4, 223-234.
 166. Simmons, R. & Weller, S. J. 2001. Utility and evolution of *cytochrome b* in insects. *Molecular Phylogenetics and Evolution* 20, 196-210.
 167. Simmons, R. B. & Weller, S. J. 2002. Do Müllerian Mimics Exist In Nature? A Phylogenetic Test In Tiger Moths (Lepidoptera: Arctiidae: Euchromiini). *Proc.*

- Royal Society, London 269, 983-990.
168. Simmons, R. B. and Weller, S. J. 2005. *Review of the Sphecosoma genus group using adult morphology (Lepidoptera: Arctiidae)*. Thomas Say Monograph Series, 101 pp., 108 figs..
 169. Skalski, A. W. 1979. Records of oldest Lepidoptera. *Nota Lepidopterologica* 2, 61-66.
 170. Smith, S. W., Overbeek, R., Woese, C. R., Gilbert, W. , & Gillevet , P. M. 1994. The genetic data environment and expandable GUI for multiple seqwence analysis. *Comput. Appl. Biosci.* 10, 671-675.
 171. Sorenson, M. D. 1999. *TreeRot*, Version 2. Boston University, Boston, MA.
 172. Sperling, F. A. H. & Hickey, D. A. 1994. Mitochondrial DNA sequence variation in the spruce budworm species complex (*Choristoneura*: Lepidoptera) . *Molecular Biology and Evolution* 11, 656-665.
 173. Staden, R., Beal, K. R., & Bonfield, J. K. 1999. The Staden Package, 1998 . In *Bioinformatics Methods and Protocols* , eds. S. Misener & S. Krawetz, The Humana Press, Totowa, NJ.
 174. Stamatakis, A. 2005. An efficient program for phylogenetic inference using simulated annealing. *Proceedings of the 19th International Parallel and Distributed Processing Symposium*.
 175. Stamatakis, A., Ludwig, T., & Meier, H. 2005. RAxML-III: A fast program for maximum likelihood-based inference of large phylogenetic trees. *Bioinformatics* 21, 456-463.
 176. Stanger-Hall, K. & Cunningham, C. W. 1998. Support for a monophyletic Lemuriformes: Overcoming incongruence between data partitions. *Mol. Biol. Evol.* 15, 1572-1577.
 177. Stehr, F. W. 1987. *Immature Insects* Kendall/Hunt Publishing Co., Dubuque.
 178. Swofford, D. L. 2005. PAUP*: Phylogenetic analysis using parsimony (*and other methods) , Version 4.0 beta. Sinauer Associates, Inc. Sunderland, MA.
 179. Swofford, D. L., Olsen, G. J., Waddell, P. J., & Hillis, D. M. 1996. Phylogenetic inference. In *Molecular Systematics*, eds. D. M. Hillis, C. Moritz, & B. K. Mable, pp. 407-514. Sinauer Associates, Inc., Sunderland, MA.
 180. Teeling, E. C., Springer, M. S., Madsen, O., Bates, P., O'Brien, S. J., & Murphy, W. J. 2005. A molecular phylogeny for bats illuminates biogeography and the fossil record. *Science* 307, 580-584.
 181. Thorne, J. L. & Goldman, N. 2003. Probabilistic models for the study of protein evolution. In *Handbook of Statistical Genetics*, eds. Balding, Bishop, & Cannings, Wiley and Sons.
 182. Thorne, J. L. & Kishino, H. 2002. Divergence time and evolutionary rate estimation with multilocus data. *Syst. Biol.* 51, 689-702.
 183. Thorne, J. L. & Kishino, H. 2005. Estimation of divergence times from molecular sequence data. In *Statistical methods in molecular evolution*, ed. R. Nielsen, Springer Verlag.
 184. Torres, E., Lees, D. C., Vane-Wright, R. I., Kremen, C., Leonard, J. A., & Wayne, R. K. 2001. Examining monophyly in a large radiation of Madagascan butterflies (Lepidoptera: Satyrinae: Mycalesina) based on mitochondrial DNA data. *Mol. Phylog. Evol.* 20, 460-73.

185. Vane-Wright, R. I., Raheem, D. C., Cieslak, A., & Vogler, A. P. 1999. Evolution of the mimetic African swallowtail butterfly *Papilio dardanus*: molecular data confirm relationships with *P. phorcas* and *P. constantinus*. *Biological Journal of the Linnean Society* 66, 215-229.
186. Vos, R. A. 2003. Accelerated likelihood surface exploration: The likelihood ratchet. *Syst. Biol.* 52, 368-373.
187. Wagner, D. L. 2001. Moths. In *Encyclopedia of Biodiversity*, ed. S.A. Levin, pp. 249-270. Academic Press, San Diego, CA.
188. Wahlberg, N., Brower, A. V. Z., & Nylin, S. 2005. Phylogenetic relationships and historical biogeography of tribes and genera in the subfamily Nymphalinae (Lepidoptera: Nymphalidae). *Biol. J. Linn. Soc.* in press.
189. Wahlberg, N. & Nylin, S. 2003. Morphology versus molecules: resolution of the positions of *Nymphalis*, *Polygonia* and related genera (Lepidoptera: Nymphalidae). *Cladistics* 19, 213-223.
190. Wahlberg, N., Oliveira, R., & Scott, J. A. 2003. Phylogenetic relationships of *Phyciodes* butterfly species (Lepidoptera: Nymphalidae): complex mtDNA variation and species delimitations. *Syst. Ent.* 28, 257-273.
191. Wahlberg, N., Weingartner, E., & Nylin, S. 2003. Towards a better understanding of the higher systematics of Nymphalidae (Lepidoptera: Papilionoidea). *Molecular Phylogenetics and Evolution* 28, 473-484.
192. Weller, S. J., Friedlander, T. P., Martin, J. A., & Pashley, D. P. 1992. Phylogenetic studies of ribosomal RNA variation in higher moths and butterflies (Lepidoptera: Ditrysia). *Molecular Phylogenetics and Evolution* 1, 312-337.
193. Weller, S. J., Martin, J. A., Constable, J. L., & Pashley, D. P. 1994. Phylogeny of noctuid moths and the utility of combining independent nuclear and mitochondrial genes. *Systematic Biology* 43, 194-211.
194. Weller, S. J. & Pashley, D. P. 1995. In search of butterfly origins. *Molecular Phylogenetics and Evolution* 4, 235-246.
195. Weller, S. J., Pashley, D. P., & Martin, J. A. 1996. Reassessment of butterfly family relationships using independent genes and morphology. *Annals of the Entomological Society of America* 89, 184-192.
196. Weller, S. J., Simmons, R., & Carlson, A. 2004. *Empyreuma pugione* (Linnaeus) and *E. affinis* Rothschild (Arctiidae: Ctenuchini) geographic variation or valid species? Evidence from morphology and mitochondrial DNA. *Lepidopterists' Society* 58, 21-32.
197. Weller, S. J., Simmons, R. B., Boada, R., & Conner, W. E. 2000. Abdominal modifications occurring in wasp mimics of the Ctenuchine-Euchromiine clade (Lepidoptera: Arctiidae). *Annals of the Entomological Society of America* 93, 920-928.
198. Weller, S. J., Simmons, R. B., Boada, R., & Conner, W. E. 2000. Wasp mimics of the Ctenuchine-Euchromiine clade of Arctiidae (Lepidoptera). *Annals of the Entomological Society of America* 93, 920-928.
199. Wenger, E., McDermott, R., & Synder, W. 2002. *Cultivating Communities of Practice* Harvard Business School Press, Boston.
200. Whalley, P. E. S. 1986. A review of the current fossil evidence of Lepidoptera in the Mesozoic. *Biological Journal of the Linnean Society* 28, 253-271.

201. Wheeler, W. C., Whiting, M. F. W. Q. D., & Carpenter, J. Phylogeny of the extant hexapod orders. *Cladistics* 17, 189.
202. Whiting, M. F. 2002. Phylogeny of the holometabolous insect orders: molecular evidence. *Zoologica Scripta* 31, 3-17.
203. Whiting, M. F., Carpenter, J. M., Wheeler, Q. D., & Wheeler, W. C. 1997. The Strepsiptera problem: Phylogeny of the holometabolous insect orders inferred from 18S and 28S ribosomal DNA sequences and morphology. *Syst. Biol.* 46, 1-68.
204. Wiegmann, B. M., Mitter, C., Regier, J. C., Friedlander, T. P., Wagner, D. M., & Nielsen, E. S. 2000. Nuclear genes resolve Mesozoic-aged divergences in the insect order Lepidoptera. *Molecular Phylogenetics and Evolution* 15, 242-259.
205. Wiegmann, B. M., Regier, J. C., & Mitter, C. 2002. Combined molecular and morphological evidence on phylogeny of the earliest lepidopteran lineages. *Zoologica Scripta* 31, 67-82.
206. Xia, Q., Zhou, Z., Lu, C., Cheng, D., Dai, F., Li, B., Zhao, P., Zha, X., Cheng, T., Chai, C., Pan, G., Xu, J., Liu, C., Lin, Y., Qian, J., Hou, Y., Wu, Z., Li, G., Pan, M., Li, C., Shen, Y., Lan, X., Yuan, L., Li, T., Xu, H., Yang, G., Wan, Y., Zhu, Y., Yu, M., Shen, W., Wu, D., Xiang, Z., Yu, J., Wang, J., Li, R., Shi, J., Li, H., Li, G., Su, J., Wang, X., Li, G., Zhang, Z., Wu, Q., Li, J., Zhang, Q., Wei, N., Xu, J., Sun, H., Dong, L., Liu, D., Zhao, S., Zhao, X., Meng, Q., Lan, F., Huang, X., Li, Y., Fang, L., Li, C., Li, D., Sun, Y., Zhang, Z., Yang, Z., Huang, Y., Xi, Y., Qi, Q., He, D., Huang, H., Zhang, X., Wang, Z., Li, W., Cao, Y., Yu, Y., Yu, H., Li, J., Ye, J., Chen, H., Zhou, Y., Liu, B., Wang, J., Ye, J., Ji, H., Li, S., Ni, P., Zhang, J., Zhang, Y., Zheng, H., Mao, B., Wang, W., Ye, C., Li, S., Wang, J., Wong, G. K., Yang, H., & Biology Analysis Group 2004. A draft sequence for the genome of the domesticated silkworm (*Bombyx mori*). *Science* 306, 1937-40.
207. Zakharov, E. V., Caterino, M. S., & Sperling, F. A. H. 2004. Molecular phylogeny, historical biogeography, and divergence time estimates for swallowtail butterflies of the genus *Papilio* (Lepidoptera: Papilionidae). *Syst. Biol.* 53, 193-215.
208. Zakharov, E. V., Smith, C. R., Lees, D. C., Cameron, A., Vane-Wright, R. I., & Sperling, F. A. H. 2004. Independent gene phylogenies and morphology demonstrate a malagasy origin for a wide-ranging group of swallowtail butterflies. *Evolution* 58, 2763-2782.
209. Zaspel, J. & Weller, S. 2005. Review of the generic limits of the tiger moth genera *Virbia* and *Holomelina* (Arctiidae: Arctiinae: Arctiini). *Zootaxa* (in press).